

Problem Set 6

Due October 27 before class. Submit on IVLE > Files > Student Submission > PS6.

1. **Scope ambiguity exercise:** The following sentence has a scope ambiguity. Two different truth conditions are given below:

(1) Sarah did not read every book.

a. 1 iff it's not that [$\forall x \in D_e$ [x is a book \rightarrow Sarah read x]] (*not* > \forall)

b. 1 iff $\forall x \in D_e$ [x is a book \rightarrow it's not that [Sarah read x]] (\forall > *not*)

For each of these readings, draw the LF tree and compute the truth conditions, step by step. For every node, give types, denotations, and the rule used.


For reading (a): Do not try to change the scope of negation by moving it. Hint: Where does the object *every book* need to QR to in order to take scope below negation?

2. **Quantifiers in other positions:** Consider the following sentence and its inverse scope interpretation, paraphrased below:

(2) A book about every war is on sale.

'For every war, there is a book about it on sale.'

Assume that its surface form (PF) is as follows:



Draw the LF tree that gives this interpretation and compute its truth conditions. For every node, give types, denotations, and the rule used. Use the following denotations:

- $\llbracket \text{is on sale} \rrbracket = \lambda x_e . x$ is on sale type $\langle e, t \rangle$

- $\llbracket \text{about} \rrbracket = \lambda x_e . \lambda y_e . y \text{ is about } x$ type $\langle e, \langle e, t \rangle \rangle$
- $\llbracket \text{every} \rrbracket = \lambda P_{\langle e, t \rangle} . \lambda Q_{\langle e, t \rangle} . \forall x [P(x) \rightarrow Q(x)]$ type $\langle \langle e, t \rangle, \langle \langle e, t \rangle, t \rangle \rangle$
- $\llbracket \text{a} \rrbracket = \lambda P_{\langle e, t \rangle} . \lambda Q_{\langle e, t \rangle} . \exists x [P(x) \text{ and } Q(x)]$ type $\langle \langle e, t \rangle, \langle \langle e, t \rangle, t \rangle \rangle$