

# Problem Set 7

Due March 20 before class. Submit on IVLE > Files > Student Submission > PS7.

1. **Scope ambiguity exercise:** The following sentence has a scope ambiguity. Two different truth conditions are given below:

(1) Sarah did not read every book.

a. 1 iff it's not that [  $\forall x \in D_e$  [  $x$  is a book  $\rightarrow$  Sarah read  $x$  ] ] (*not* >  $\forall$ )

b. 1 iff  $\forall x \in D_e$  [  $x$  is a book  $\rightarrow$  it's not that [ Sarah read  $x$  ] ] ( $\forall$  > *not*)

For each of these readings, draw the LF tree and compute the truth conditions, step by step. For every node, give types, denotations, and the rule used.


For reading (a): Do not try to change the scope of negation by moving it. Hint: Where does the object *every book* need to QR to in order to take scope below negation?

2. **Quantifiers in other positions:** Consider the following sentence and its inverse scope interpretation, paraphrased below:

(2) A book about every war is on sale.

'Many different books are on sale, one for each war.'

Assume that its surface form (PF) is as follows:



Draw the LF tree that gives this interpretation and compute its truth conditions. For every node, give types, denotations, and the rule used. Use the following denotations:

- $\llbracket \text{is on sale} \rrbracket = \lambda x_e . x$  is on sale type  $\langle e, t \rangle$

- $\llbracket \text{about} \rrbracket = \lambda x_e . \lambda y_e . y \text{ is about } x$  type  $\langle e, \langle e, t \rangle \rangle$
- $\llbracket \text{every} \rrbracket = \lambda P_{\langle e, t \rangle} . \lambda Q_{\langle e, t \rangle} . \forall x [P(x) \rightarrow Q(x)]$  type  $\langle \langle e, t \rangle, \langle \langle e, t \rangle, t \rangle \rangle$
- $\llbracket \text{a} \rrbracket = \lambda P_{\langle e, t \rangle} . \lambda Q_{\langle e, t \rangle} . \exists x [P(x) \text{ and } Q(x)]$  type  $\langle \langle e, t \rangle, \langle \langle e, t \rangle, t \rangle \rangle$